

# **SD O 310 4010 D021 STANDARD**

## **EDI User Manual**

Version: 1.0

Author: Hapag-Lloyd AG

Trading Partner: all

Created: July 14, 2025

## Table of Contents

- 1 Status Indicators
- 2 Usage Indicators
- 3 Message Structure
- 4 Description of used Message Segments

## Status Indicators

Status Indicators (M, O and X) form part of the ANSI ASC X12 standard and indicate a minimum requirement to fulfil the needs of the message structure.

The Status Indicators are:

Indicator	Value	Description
M	Mandatory	This entity must appear in all messages. Shown as usage indicator "M" in Implementation Guidelines.
O	Optional	This entity is used by agreement between the parties to the transaction.
X	Relational	This entity depends upon a well-defined condition or set of conditions. These conditions must be clearly specified in the relevant implementation guideline.

A Status Indicator may be represented by a supporting Usage Indicator which is either M, O, D or X.

## Usage Indicators

Throughout this document reference is made to indicators (M, D, O and X) which are shown adjacent to data items and which dictate for the particular message or set thereof the agreed usage of the data items or entities.

Set out below are the indicators and their respective uses:

Indicator	Value	Description
M	Mandatory	Indicates that this entity is mandatory and must be sent in this implementation.
O	Optional	Indicates that this entity is at the need or discretion of the sender of the message.
D	Dependent	Indicates that the use of the entity depends upon a well-defined condition or set of conditions. These conditions must be clearly specified in the relevant implementation guideline.
X	Not Used	Indicates that the entity is not to be used in this message implementation.

Please be aware that each usage indicator describes the usage of an entity within it's parent entity. For example, a segment that is marked to be (M)andatory within an optional segment group must only be sent when the segment group is used.

## Message Structure

Tag	Name	Status	Max. Use	Usage
ISA	Interchange Control Header	M	1	M
GS	Functional Group Header	O	1	O
ST	Transaction Set Header	M	1	M
B3	Beginning Segment for Carrier's Invoice	M	1	M
B2A	Set Purpose	O	1	O
Y6	Authentication	O	2	X
G3	Compensation Information	O	1	X
N9	Reference Identification	O	15	O
V1	Vessel Identification	M	2	M
M0	Letter of Credit Reference	O	1	X
M1	Insurance	O	5	X
C2	Bank ID	O	1	X
C3	Currency	O	1	X
Y2	Container Details	O	10	X
<b>LoopN1</b>		<b>M</b>	<b>10</b>	<b>M</b>
N1	Name	M	1	M
N2	Additional Name Information	O	1	X
N3	Address Information	O	2	O
N4	Geographic Location	O	1	O
G61	Contact	O	3	X
<b>LoopR4</b>		<b>M</b>	<b>20</b>	<b>M</b>
R4	Port or Terminal	M	1	M
DTM	Date/Time Reference	O	15	O
R2A	Route Information with Preference	O	25	X
R2	Route Information	O	13	O
K1	Remarks	O	12	X
H3	Special Handling Instructions	O	6	X
L5	Description, Marks and Numbers	O	1	X
<b>LoopC8</b>		<b>O</b>	<b>20</b>	<b>X</b>
C8	Certifications and Clauses	O	1	X
C8C	Certifications Clauses Continuation	O	5	X

<b>LoopLX</b>		<b>M</b>	<b>999</b>	<b>M</b>
LX	Assigned Number	M	1	M
<b>LoopN7</b>				
N7	Equipment Details	O	1	O
QTY	Quantity	O	1	X
V4	Cargo Location Reference	O	1	X
N12	Equipment Environment	O	1	X
M7	Seal Numbers	O	5	O
W09	Equipment and Temperature	O	1	O
<b>LoopL1</b>				
L1	Rate and Charges	O	1	X
C3	Currency	O	1	X
L7	Tariff Reference	O	1	X
X1	Export License	O	1	X
X2	Import License	O	1	X
N9	Reference Identification	O	3	X
<b>LoopH1</b>				
H1	Hazardous Material	O	1	X
H2	Additional Hazardous Material Description	O	10	X
<b>LoopL0</b>				
L0	Line Item - Quantity and Weight	O	1	O
L5	Description, Marks and Numbers	O	999	O
<b>LoopL1</b>				
L1	Rate and Charges	O	1	X
C3	Currency	O	1	X
L7	Tariff Reference	O	1	X
X1	Export License	O	1	X
X2	Import License	O	1	X
<b>LoopC8</b>				
C8	Certifications and Clauses	O	1	X
C8C	Certifications Clauses Continuation	O	5	X
<b>LoopH1</b>				
H1	Hazardous Material	O	1	O
H2	Additional Hazardous Material Description	O	10	O
L3	Total Weight and Charges	M	1	X
PWK	Paperwork	O	25	X
<b>LoopL1</b>				
L1	Rate and Charges	O	1	X
C3	Currency	O	1	X
V9	Event Detail	O	10	X
C8	Certifications and Clauses	O	20	X
K1	Remarks	O	999	X
L11	Business Instructions and Reference Number	O	1	X
SE	Transaction Set Trailer	M	1	M
GE	Functional Group Trailer	O	1	O
IEA	Interchange Control Trailer	M	1	M

## Description of used Message Segments

### ISA Interchange Control Header

Status: M	Usage: M	Min/Max: 1/1
Group: N/A		

up

**Description:**

To start and identify an interchange of zero or more functional groups and interchange-related control segments

Tag	Element Name	Status	Type	Usage
I01	AUTHORIZATION INFORMATION QUALIFIER	M	id2	M
<b>Description:</b> Code identifying the type of information in the Authorization Information				
I02	AUTHORIZATION INFORMATION	M	an10	M
<b>Description:</b> Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)				
I03	SECURITY INFORMATION QUALIFIER	M	id2	M
<b>Description:</b> Code identifying the type of information in the Security Information				
I04	SECURITY INFORMATION	M	an10	M
<b>Description:</b> This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)				
I05	INTERCHANGE ID QUALIFIER	M	id2	M
<b>Description:</b> Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified				
I06	INTERCHANGE SENDER ID	M	an15	M
<b>Description:</b> Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element				
I05	INTERCHANGE ID QUALIFIER	M	id2	M
<b>Description:</b> Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified				
I07	INTERCHANGE RECEIVER ID	M	an15	M
<b>Description:</b> Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them				
I08	INTERCHANGE DATE	M	dt6	M
<b>Description:</b> Date of the interchange				
I09	INTERCHANGE TIME	M	tm4	M
<b>Description:</b> Time of the interchange				
I10	INTERCHANGE CONTROL STANDARDS IDENTIFIER	M	id1	M
I11	INTERCHANGE CONTROL VERSION NUMBER	M	id5	M

	<b>Description:</b> Code specifying the version number of the interchange control segments			
I12	INTERCHANGE CONTROL NUMBER	M	n09	M
	<b>Description:</b> A control number assigned by the interchange sender			
I13	ACKNOWLEDGMENT REQUESTED	M	id1	M
	<b>Description:</b> Code indicating sender's request for an interchange acknowledgment			
I14	USAGE INDICATOR	M	id1	M
	<b>Description:</b> Code indicating whether data enclosed by this interchange envelope is test, production or information			
I15	COMPONENT ELEMENT SEPARATOR	M	an1	M
	<b>Description:</b> Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator			

## GS Functional Group Header

Status: O Usage: O Min/Max: 0/1  
Group: N/A

up

**Description:**

To indicate the beginning of a functional group and to provide control information

Tag	Element Name	Status	Type	Usage
479	FUNCTIONAL IDENTIFIER CODE	M	id2	M
<b>Description:</b> Code identifying a group of application related transaction sets				
142	APPLICATION SENDER'S CODE	M	an..15	M
<b>Description:</b> Code identifying party sending transmission; codes agreed to by trading partners				
124	APPLICATION RECEIVER'S CODE	M	an..15	M
<b>Description:</b> Code identifying party receiving transmission; codes agreed to by trading partners				
373	DATE	M	dt8	M
<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
337	TIME	M	tm..8	M
<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
28	GROUP CONTROL NUMBER	M	n0..9	M
<b>Description:</b> Assigned number originated and maintained by the sender				
455	RESPONSIBLE AGENCY CODE	M	id..2	M
<b>Description:</b> Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480				
480	VERSION / RELEASE / INDUSTRY IDENTIFIER CODE	M	an..12	M
<b>Description:</b> Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed				

## ST Transaction Set Header

Status: M Usage: M Min/Max: 1/1  
Group: N/A

up

**Description:**

To indicate the start of a transaction set and to assign a control number

Tag	Element Name	Status	Type	Usage
143	TRANSACTION SET IDENTIFIER CODE	M	id3	M
<b>Description:</b> Code uniquely identifying a Transaction Set				
329	TRANSACTION SET CONTROL NUMBER	M	an..9	M
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## B3 Beginning Segment for Carrier's Invoice

Status: M Usage: M Min/Max: 1/1  
Group: N/A

up

### Description:

To transmit basic data relating to the carrier's invoice

Tag	Element Name	Status	Type	Usage
147	SHIPMENT QUALIFIER	O	id1	O
<b>Description:</b> Code defining relationship of this shipment with respect to other shipments given to the carrier at the same time				
76	INVOICE NUMBER	M	an..22	M
<b>Description:</b> Identifying number assigned by issuer				
145	SHIPMENT IDENTIFICATION NUMBER	O	an..30	O
<b>Description:</b> Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)				
146	SHIPMENT METHOD OF PAYMENT	M	id2	X
<b>Description:</b> Code identifying payment terms for transportation charges				
188	WEIGHT UNIT CODE	O	id1	X
<b>Description:</b> Code specifying the weight unit				
373	DATE	M	dt8	M
<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
193	NET AMOUNT DUE	M	n2..12	X
<b>Description:</b> Total charges to be paid by the receiver of this transaction set expressed in the standard monetary denomination for the currency specified				
202	CORRECTION INDICATOR	O	id2	X
<b>Description:</b> Code used to indicate that the transaction set contains information which corrects previous information				
32	DELIVERY DATE	O	dt8	X
<b>Description:</b> Date for delivery of cargo to final consignee or to next mode expressed in format CCYYMMDD where CC represents the first two digits of the calendar year				
374	DATE/TIME QUALIFIER	O	id3	X
<b>Description:</b> Code specifying type of date or time, or both date and time				
140	STANDARD CARRIER ALPHA CODE	M	id..4	M
<b>Description:</b> Standard Carrier Alpha Code				
373	DATE	O	dt8	O
<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				



## B2A Set Purpose

Status: O Usage: O Min/Max: 0/1  
Group: N/A

up

**Description:**

To allow for positive identification of transaction set purpose

Tag	Element Name	Status	Type	Usage
353	TRANSACTION SET PURPOSE CODE	M	id2	M
<p><b>Description:</b> Code identifying purpose of transaction set</p>				
346	APPLICATION TYPE	O	id2	O
<p><b>Description:</b> Code identifying an application</p>				

## N9 Reference Identification

Status: O Usage: O Min/Max: 0/15  
Group: N/A

up

**Description:**

To transmit identifying information as specified by the Reference Identification Qualifier

Tag	Element Name	Status	Type	Usage
128	REFERENCE IDENTIFICATION QUALIFIER	M	id..3	M
<p><b>Description:</b> Code qualifying the Reference Identification</p>				
127	REFERENCE IDENTIFICATION	O	an..30	O
<p><b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</p>				
369	FREE-FORM DESCRIPTION	O	an..45	X
<p><b>Description:</b> Free-form descriptive text</p>				
373	DATE	O	dt8	X
<p><b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year</p>				
337	TIME	O	tm..8	X
<p><b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</p>				
623	TIME CODE	O	id2	X
<p><b>Description:</b> Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow</p>				

C040	REFERENCE IDENTIFIER	O		X
	<b>Description:</b> To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
128	Reference Identification Qualifier	M	id..3	X
	<b>Description:</b> Code qualifying the Reference Identification			
127	Reference Identification	M	an..30	X
	<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
128	Reference Identification Qualifier	O	id..3	X
	<b>Description:</b> Code qualifying the Reference Identification			
127	Reference Identification	O	an..30	X
	<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
128	Reference Identification Qualifier	O	id..3	X
	<b>Description:</b> Code qualifying the Reference Identification			
127	Reference Identification	O	an..30	X
	<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

## V1 Vessel Identification

Status: M Usage: M Min/Max: 1/2  
Group: N/A

up

**Description:**

To provide vessel details and voyage number

Tag	Element Name	Status	Type	Usage
597	VESSEL CODE	O	id..8	O
<b>Description:</b> Code identifying vessel				
182	VESSEL NAME	O	an..28	O
<b>Description:</b> Name of ship as documented in "Lloyd's Register of Ships"				
26	COUNTRY CODE	O	id..3	X
<b>Description:</b> Code identifying the country				
55	FLIGHT/VOYAGE NUMBER	O	an..10	O
<b>Description:</b> Identifying designator for the particular flight or voyage on which the cargo travels				
140	STANDARD CARRIER ALPHA CODE	O	id..4	X
<b>Description:</b> Standard Carrier Alpha Code				
249	VESSEL REQUIREMENT CODE	O	id1	X
<b>Description:</b> Code specifying options for satisfying vessel requirements				
854	VESSEL TYPE CODE	O	id2	X
<b>Description:</b> Code to determine type of vessel				
897	VESSEL CODE QUALIFIER	O	id1	O
<b>Description:</b> Code specifying vessel code source				
91	TRANSPORTATION METHOD/TYPE CODE	O	id..2	X
<b>Description:</b> Code specifying the method or type of transportation for the shipment				

## N1 Name

Status: M Usage: M Min/Max: 1/1  
Group: LoopN1

up

**Description:**

To identify a party by type of organization, name, and code

Tag	Element Name	Status	Type	Usage
98	ENTITY IDENTIFIER CODE	M	id..3	M
<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
93	NAME	O	an..60	O
<b>Description:</b> Free-form name				
66	IDENTIFICATION CODE QUALIFIER	O	id..2	O
<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
67	IDENTIFICATION CODE	O	an..80	O
<b>Description:</b> Code identifying a party or other code				
706	ENTITY RELATIONSHIP CODE	O	id2	X
<b>Description:</b> Code describing entity relationship				
98	ENTITY IDENTIFIER CODE	O	id..3	X
<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				

## N3 Address Information

Status: O Usage: O Min/Max: 0/2  
Group: LoopN1

up

**Description:**

To specify the location of the named party

Tag	Element Name	Status	Type	Usage
166	ADDRESS INFORMATION [1..2]	M	an..55	M

**Description:**  
Address information

## N4 Geographic Location

Status: O Usage: O Min/Max: 0/1  
Group: LoopN1

up

**Description:**

To specify the geographic place of the named party

Tag	Element Name	Status	Type	Usage
19	CITY NAME	O	an..30	O
<b>Description:</b> Free-form text for city name				
156	STATE OR PROVINCE CODE	O	id2	O
<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
116	POSTAL CODE	O	id..15	O
<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
26	COUNTRY CODE	O	id..3	O
<b>Description:</b> Code identifying the country				
309	LOCATION QUALIFIER	O	id..2	X
<b>Description:</b> Code identifying type of location				
310	LOCATION IDENTIFIER	O	an..30	X
<b>Description:</b> Code which identifies a specific location				

## R4 Port or Terminal

Status: M Usage: M Min/Max: 1/1  
Group: LoopR4

up

**Description:**

Contractual or operational port or point relevant to the movement of the cargo

Tag	Element Name	Status	Type	Usage
115	PORT OR TERMINAL FUNCTION CODE	M	id1	M
<b>Description:</b> Code defining function performed at the port or terminal with respect to a shipment				
309	LOCATION QUALIFIER	O	id..2	O
<b>Description:</b> Code identifying type of location				
310	LOCATION IDENTIFIER	O	an..30	O
<b>Description:</b> Code which identifies a specific location				
114	PORT NAME	O	an..24	O
<b>Description:</b> Free-form name for the place at which an offshore carrier originates or terminates (by transshipment or otherwise) its actual ocean carriage of property				
26	COUNTRY CODE	O	id..3	O
<b>Description:</b> Code identifying the country				
174	TERMINAL NAME	O	an..30	X
<b>Description:</b> Free-form field for terminal name				
113	PIER NUMBER	O	an..4	X
<b>Description:</b> Identifying number for the pier				
156	STATE OR PROVINCE CODE	O	id2	O
<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				

## DTM Date/Time Reference

Status: O Usage: O Min/Max: 0/15  
Group: LoopR4

up

**Description:**

To specify pertinent dates and times

Tag	Element Name	Status	Type	Usage
374	DATE/TIME QUALIFIER	M	id3	M
<p><b>Description:</b> Code specifying type of date or time, or both date and time</p>				
373	DATE	O	dt8	O
<p><b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year</p>				
337	TIME	O	tm..8	O
<p><b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</p>				
623	TIME CODE	O	id2	X
<p><b>Description:</b> Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow</p>				
1250	DATE TIME PERIOD FORMAT QUALIFIER	O	id..3	X
<p><b>Description:</b> Code indicating the date format, time format, or date and time format</p>				
1251	DATE TIME PERIOD	O	an..35	X
<p><b>Description:</b> Expression of a date, a time, or range of dates, times or dates and times</p>				

## R2 Route Information

Status: O Usage: O Min/Max: 0/13  
Group: N/A

up

**Description:**

To specify carrier and routing sequences and details

Tag	Element Name	Status	Type	Usage
140	STANDARD CARRIER ALPHA CODE	M	id..4	M
<b>Description:</b> Standard Carrier Alpha Code				
133	ROUTING SEQUENCE CODE	M	id..2	M
<b>Description:</b> Code describing the relationship of a carrier to a specific shipment movement				
19	CITY NAME	O	an..30	X
<b>Description:</b> Free-form text for city name				
154	STANDARD POINT LOCATION CODE	O	id..9	X
<b>Description:</b> Code (Standard Point Location) defined by National Motor Freight Tariff Association (NMFTA) or the Canadian Transportation Agency (CTA) point development group as the official code assigned to a city or point (for ratemaking purposes) within a city				
177	INTERMODAL SERVICE CODE	O	id..2	X
<b>Description:</b> Code identifying the Intermodal Service Plan				
91	TRANSPORTATION METHOD/TYPE CODE	O	id..2	X
<b>Description:</b> Code specifying the method or type of transportation for the shipment				
296	INTERMEDIATE SWITCH CARRIER	O	id..4	X
<b>Description:</b> Code defining a road which neither originates nor terminates the shipment but provides a switching service between two roadhaul rail carriers (SCAC code for rail switch carrier)				
296	INTERMEDIATE SWITCH CARRIER	O	id..4	X
<b>Description:</b> Code defining a road which neither originates nor terminates the shipment but provides a switching service between two roadhaul rail carriers (SCAC code for rail switch carrier)				
76	INVOICE NUMBER	O	an..22	X
<b>Description:</b> Identifying number assigned by issuer				
373	DATE	O	dt8	X
<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
369	FREE-FORM DESCRIPTION	O	an..45	X
<b>Description:</b> Free-form descriptive text				
56	TYPE OF SERVICE CODE	O	id2	O
<b>Description:</b> Code specifying extent of transportation service requested				
742	ROUTE DESCRIPTION	O	an..35	X

<p><b>Description:</b> Point to point routing description</p>
-------------------------------------------------------------------

## LX Assigned Number

Status: M Usage: M Min/Max: 1/1  
Group: LoopLX

up

**Description:**

To reference a line number in a transaction set

Tag	Element Name	Status	Type	Usage
554	ASSIGNED NUMBER	M	n0..6	M

**Description:**  
Number assigned for differentiation within a transaction set

## N7 Equipment Details

Status: O Usage: O Min/Max: 0/1  
Group: LoopN7

up

**Description:**

To identify the equipment

Tag	Element Name	Status	Type	Usage
206	EQUIPMENT INITIAL	O	an..4	O
<b>Description:</b> Prefix or alphabetic part of an equipment unit's identifying number				
207	EQUIPMENT NUMBER	M	an..10	M
<b>Description:</b> Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)				
81	WEIGHT	O	r..10	O
<b>Description:</b> Numeric value of weight				
187	WEIGHT QUALIFIER	O	id..2	O
<b>Description:</b> Code defining the type of weight				
167	TARE WEIGHT	O	n0..8	X
<b>Description:</b> Weight of the equipment				
232	WEIGHT ALLOWANCE	O	n0..6	X
<b>Description:</b> Allowance made for increased weight due to such factors as snow				
205	DUNNAGE	O	n0..6	X
<b>Description:</b> Weight of material used to protect lading (even bracings, false floors, etc.)				
183	VOLUME	O	r..8	X
<b>Description:</b> Value of volumetric measure				
184	VOLUME UNIT QUALIFIER	O	id1	X
<b>Description:</b> Code identifying the volume unit				
102	OWNERSHIP CODE	O	id1	X
<b>Description:</b> Code indicating the relationship of equipment to carrier or ownership of equipment				
40	EQUIPMENT DESCRIPTION CODE	O	id2	X
<b>Description:</b> Code identifying type of equipment used for shipment				
140	STANDARD CARRIER ALPHA CODE	O	id..4	X
<b>Description:</b> Standard Carrier Alpha Code				
319	TEMPERATURE CONTROL	O	an..6	X
<b>Description:</b> Free-form abbreviation of temperature range or flash-point temperature				
219	POSITION	O	an..3	X

	<b>Description:</b> Relative position of shipment in car, trailer, or container (mutually defined)			
567	EQUIPMENT LENGTH	O	n0..5	X
	<b>Description:</b> Length (in feet and inches) of equipment ordered or used to transport shipment (The format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11)			
571	TARE QUALIFIER CODE	O	id1	X
	<b>Description:</b> Code identifying the type of tare			
188	WEIGHT UNIT CODE	O	id1	O
	<b>Description:</b> Code specifying the weight unit			
761	EQUIPMENT NUMBER CHECK DIGIT	O	n01	O
	<b>Description:</b> Number which designates the check digit applied to a piece of equipment			
56	TYPE OF SERVICE CODE	O	id2	X
	<b>Description:</b> Code specifying extent of transportation service requested			
65	HEIGHT	O	r..8	X
	<b>Description:</b> Vertical dimension of an object measured when the object is in the upright position			
189	WIDTH	O	r..8	X
	<b>Description:</b> Shorter measurement of the two horizontal dimensions measured with the object in the upright position			
24	EQUIPMENT TYPE	O	id4	O
	<b>Description:</b> Code identifying equipment type			
140	STANDARD CARRIER ALPHA CODE	O	id..4	X
	<b>Description:</b> Standard Carrier Alpha Code			
301	CAR TYPE CODE	O	id..4	X
	<b>Description:</b> Code specifying type of rail car or intermodal equipment type and its general characteristics			

## M7 Seal Numbers

Status: O Usage: O Min/Max: 0/5  
Group: LoopN7

up

**Description:**

To record seal numbers used and the organization that applied the seals

Tag	Element Name	Status	Type	Usage
225	SEAL NUMBER	M	an..15	M
<b>Description:</b> Unique number on seal used to close a shipment				
225	SEAL NUMBER	O	an..15	X
<b>Description:</b> Unique number on seal used to close a shipment				
225	SEAL NUMBER	O	an..15	X
<b>Description:</b> Unique number on seal used to close a shipment				
225	SEAL NUMBER	O	an..15	X
<b>Description:</b> Unique number on seal used to close a shipment				
98	ENTITY IDENTIFIER CODE	O	id..3	O
<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				

## W09 Equipment and Temperature

Status: O Usage: O Min/Max: 0/1  
Group: LoopN7

up

**Description:**

To relate equipment type and required temperatures

Tag	Element Name	Status	Type	Usage
40	EQUIPMENT DESCRIPTION CODE	M	id2	M
<b>Description:</b> Code identifying type of equipment used for shipment				
408	TEMPERATURE	O	r..4	O
<b>Description:</b> Temperature				
355	UNIT OR BASIS FOR MEASUREMENT CODE	O	id2	O
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
408	TEMPERATURE	O	r..4	X
<b>Description:</b> Temperature				
355	UNIT OR BASIS FOR MEASUREMENT CODE	O	id2	X
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
3	FREE FORM MESSAGE	O	an..60	X
<b>Description:</b> Free-form text				
1122	VENT SETTING CODE	O	id1	X
<b>Description:</b> Code describing the setting on the air vents on ocean-type containers				
488	PERCENT	O	n0..3	X
<b>Description:</b> Percent given in integer format (e.g., 0 through 100 represents 0% through 100%)				
380	QUANTITY	O	r..15	X
<b>Description:</b> Numeric value of quantity				

## L0 Line Item - Quantity and Weight

Status: O Usage: O Min/Max: 0/1  
Group: LoopL0

up

**Description:**

To specify quantity, weight, volume, and type of service for a line item including applicable "quantity/rate-as" data

Tag	Element Name	Status	Type	Usage
213	LADING LINE ITEM NUMBER	O	n0..3	O
<b>Description:</b> Sequential line number for a lading item				
220	BILLED/RATED-AS QUANTITY	O	r..11	X
<b>Description:</b> Basis for rating (miles, value, volume, etc.); Note: Weight may be defined by either data element 220 or 81				
221	BILLED/RATED-AS QUALIFIER	O	id2	X
<b>Description:</b> Code identifying the type of quantity or value on which the rate or item pricing is based				
81	WEIGHT	O	r..10	O
<b>Description:</b> Numeric value of weight				
187	WEIGHT QUALIFIER	O	id..2	O
<b>Description:</b> Code defining the type of weight				
183	VOLUME	O	r..8	O
<b>Description:</b> Value of volumetric measure				
184	VOLUME UNIT QUALIFIER	O	id1	O
<b>Description:</b> Code identifying the volume unit				
80	LADING QUANTITY	O	n0..7	O
<b>Description:</b> Number of units (pieces) of the lading commodity				
211	PACKAGING FORM CODE	O	id3	O
<b>Description:</b> Code for packaging form of the lading quantity				
458	DUNNAGE DESCRIPTION	O	an..25	X
<b>Description:</b> Material used to protect lading				
188	WEIGHT UNIT CODE	O	id1	O
<b>Description:</b> Code specifying the weight unit				
56	TYPE OF SERVICE CODE	O	id2	O
<b>Description:</b> Code specifying extent of transportation service requested				
380	QUANTITY	O	r..15	X
<b>Description:</b> Numeric value of quantity				
211	PACKAGING FORM CODE	O	id3	X

**Description:**  
Code for packaging form of the lading quantity

1073 YES/NO CONDITION OR RESPONSE CODE                    O            id1                    X

**Description:**  
Code indicating a Yes or No condition or response

## L5 Description, Marks and Numbers

Status: O Usage: O Min/Max: 0/999  
Group: LoopL0

up

**Description:**

To specify the line item in terms of description, quantity, packaging, and marks and numbers

Tag	Element Name	Status	Type	Usage
213	LADING LINE ITEM NUMBER	O	n0..3	O
<b>Description:</b> Sequential line number for a lading item				
79	LADING DESCRIPTION	O	an..50	O
<b>Description:</b> Description of an item as required for rating and billing purposes				
22	COMMODITY CODE	O	an..30	X
<b>Description:</b> Code describing a commodity or group of commodities				
23	COMMODITY CODE QUALIFIER	O	id1	X
<b>Description:</b> Code identifying the commodity coding system used for Commodity Code				
103	PACKAGING CODE	O	an..5	X
<b>Description:</b> Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required				
87	MARKS AND NUMBERS	O	an..48	O
<b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment				
88	MARKS AND NUMBERS QUALIFIER	O	id..2	X
<b>Description:</b> Code specifying the application or source of Marks and Numbers (87)				
23	COMMODITY CODE QUALIFIER	O	id1	X
<b>Description:</b> Code identifying the commodity coding system used for Commodity Code				
22	COMMODITY CODE	O	an..30	X
<b>Description:</b> Code describing a commodity or group of commodities				
595	COMPARTMENT ID CODE	O	id1	X
<b>Description:</b> Code identifying the compartment in a compartmentalized tank car				

# H1 Hazardous Material

Status: O Usage: O Min/Max: 0/1  
Group: LoopH1

up

**Description:**

To specify information relative to hazardous material

Tag	Element Name	Status	Type	Usage
62	HAZARDOUS MATERIAL CODE	M	an..10	M
<b>Description:</b> Code relating to hazardous material code qualifier for regulated hazardous materials				
209	HAZARDOUS MATERIAL CLASS CODE	O	an..4	O
<b>Description:</b> Code specifying the kind of hazard for a material				
208	HAZARDOUS MATERIAL CODE QUALIFIER	O	id1	X
<b>Description:</b> Code which qualifies the Hazardous Material Class Code (209)				
64	HAZARDOUS MATERIAL DESCRIPTION	O	an..30	O
<b>Description:</b> Material name, special instructions, and phone number if any				
63	HAZARDOUS MATERIAL CONTACT	O	an..24	O
<b>Description:</b> Phone number and name of person or department to contact in case of emergency				
200	HAZARDOUS MATERIALS PAGE	O	an..6	O
<b>Description:</b> The United Nations page number as required for the international transport of hazardous materials				
77	FLASHPOINT TEMPERATURE	O	n..3	O
<b>Description:</b> The flashpoint temperature for hazardous material				
355	UNIT OR BASIS FOR MEASUREMENT CODE	O	id2	O
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
254	PACKING GROUP CODE	O	id..3	O
<b>Description:</b> Code indicating degree of danger in terms of Roman number I, II or III				

## H2 Additional Hazardous Material Description

Status: O Usage: O Min/Max: 0/10  
Group: LoopH1

up

**Description:**

To specify free-form hazardous material descriptive data in addition to the information provided in the H1 segment

Tag	Element Name	Status	Type	Usage
64	HAZARDOUS MATERIAL DESCRIPTION	M	an..30	M
<b>Description:</b> Material name, special instructions, and phone number if any				
274	HAZARDOUS MATERIAL CLASSIFICATION	O	an..30	X
<b>Description:</b> Free-form description of hazardous material classification or division or label requirements				

## SE Transaction Set Trailer

Status: M Usage: M Min/Max: 1/1  
Group: LoopL1

up

**Description:**

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Tag	Element Name	Status	Type	Usage
96	NUMBER OF INCLUDED SEGMENTS	M	n0..10	M
<p><b>Description:</b> Total number of segments included in a transaction set including ST and SE segments</p>				
329	TRANSACTION SET CONTROL NUMBER	M	an..9	M
<p><b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set</p>				

## GE Functional Group Trailer

Status: O Usage: O Min/Max: 0/1  
Group: LoopL1

up

**Description:**

To indicate the end of a functional group and to provide control information

Tag	Element Name	Status	Type	Usage
97	NUMBER OF TRANSACTION SETS INCLUDED	M	n0..6	M
<p><b>Description:</b> Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element</p>				
28	GROUP CONTROL NUMBER	M	n0..9	M
<p><b>Description:</b> Assigned number originated and maintained by the sender</p>				

## IEA Interchange Control Trailer

Status: M Usage: M Min/Max: 1/1  
Group: N/A

up

**Description:**

To define the end of an interchange of zero or more functional groups and interchange-related control segments

Tag	Element Name	Status	Type	Usage
I16	NUMBER OF INCLUDED FUNCTIONAL GROUPS	M	n0..5	M
<b>Description:</b> A count of the number of functional groups included in an interchange				
I12	INTERCHANGE CONTROL NUMBER	M	n09	M
<b>Description:</b> A control number assigned by the interchange sender				

